

# 850

# IMPORT Purchase Order

Functional Group=PO

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Purchase Order Transaction Set (850) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to the placement of purchase orders for goods and services. This transaction set should not be used to convey purchase order changes or purchase order acknowledgment information.

**Heading:**

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes	Usage
	ISA	Interchange Control Header	M	1			Used
	GS	Functional Group Header	M	1			Used
010	ST	Transaction Set Header	M	1			Must use
020	BEG	Beginning Segment for Purchase Order	M	1			Must use
040	CUR	Currency	M	1			Must use
050	REF	Reference Identification	O	>1			Used
060	PER	Administrative Communications Contact	M	3			Must use
080	FOB	F.O.B. Related Instructions	M	>1			Used
130	ITD	Terms of Sale/Deferred Terms of Sale	O	>1			Used
150	DTM	Date/Time Reference	M	10			Used
220	PKG	Marking, Packaging, Loading	O	200			Used
240	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12			Used

LOOP ID - N9					1000		
295	N9	Reference Identification	O	1			Used
300	MSG	Message Text	O	1000			Used

LOOP ID - N1					200		
310	N1	Name	O	1			Used

**Detail:**

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes	Usage
<b>LOOP ID - PO1</b>					<b>100000</b>	<b>N2/010L</b>	
010	PO1	Baseline Item Data	M	1		N2/010	Must use
<b>LOOP ID - CTP</b>					<b>&gt;1</b>		
040	CTP	Pricing Information	O	1			Used
<b>LOOP ID - PID</b>					<b>1000</b>		
050	PID	Product/Item Description	O	1			Used
100	REF	Reference Identification	O	>1			Used
<b>LOOP ID - SAC</b>					<b>25</b>		
130	SAC	Service, Promotion, Allowance, or Charge Information	O	1			Used
190	SDQ	Destination Quantity	O	500			Used
<b>LOOP ID - N1</b>					<b>200</b>		
350	N1	Name	O	1			Used

**Summary:**

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes	Usage
<b>LOOP ID - CTT</b>					<b>1</b>	<b>N3/010L</b>	
010	CTT	Transaction Totals	O	1		N3/010	Used
030	SE	Transaction Set Trailer	M	1			Must use
	GE	Functional Group Trailer	M	1			Used
	IEA	Interchange Control Trailer	M	1			Used

**Note:**

*Nordstrom Preferred Values:*

*Subelement Separator. ISA16: Hex 6E*

*Element Separator: Hex 5C*

*Segment Terminator: Hex A1*

*\*\* 997 \*\**

*Nordstrom requires a 997 (functional Acknowledgment) be returned by the vendor within 48 hours of Nordstrom's sending the 850 document. This is very important. If Nordstrom does not receive the 997 within 48 hours, we will have to contact your company to confirm receipt of the file. This causes additional work on the part of Nordstrom.*

# ISA Interchange Control Header

<b>Pos:</b>	<b>Max: 1</b>
<b>Not Defined - Mandatory</b>	
<b>Loop: N/A</b>	<b>Elements: 16</b>

**User Option (Usage):** Used

**Purpose:** To start and identify an interchange of zero or more functional groups and interchange-related control segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ISA01	I01	<b>Authorization Information Qualifier</b>	M	ID	2/2	Must use
<b>Description:</b> Code to identify the type of information in the Authorization Information						
		<u>Code</u>	<u>Name</u>			
		00	No Authorization Information Present (No Meaningful Information in I02)			
ISA02	I02	<b>Authorization Information</b>	M	AN	10/10	Must use
<b>Description:</b> Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)						
<b>Note:</b> Spaces						
ISA03	I03	<b>Security Information Qualifier</b>	M	ID	2/2	Must use
<b>Description:</b> Code to identify the type of information in the Security Information						
		<u>Code</u>	<u>Name</u>			
		00	No Security Information Present (No Meaningful Information in I04)			
ISA04	I04	<b>Security Information</b>	M	AN	10/10	Must use
<b>Description:</b> This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)						
<b>Note:</b> Spaces						
ISA05	I05	<b>Interchange ID Qualifier</b>	M	ID	2/2	Must use
<b>Description:</b> Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified						
<b>Note:</b> Nordstrom Qualifier is 'ZZ'						
		<u>Code</u>	<u>Name</u>			
		ZZ	Mutually Defined			
ISA06	I06	<b>Interchange Sender ID</b>	M	AN	15/15	Must use
<b>Description:</b> Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element						
<b>Note:</b> Nordstrom Sender ID is NORDINTL						
ISA07	I05	<b>Interchange ID Qualifier</b>	M	ID	2/2	Must use
<b>Description:</b> Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified						
<b>Note:</b> Qualifier Selected by Receiver						

<u>Code</u>	<u>Name</u>
01	Duns (Dun & Bradstreet)
08	UCC EDI Communications ID (Comm ID)
12	Phone (Telephone Companies)
ZZ	Mutually Defined

ISA08	I07	<b>Interchange Receiver ID</b>	M	AN	15/15	Must use						
<p><b>Description:</b> Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them</p> <p><b>Note:</b> <i>Receiver ID Selected by Receiver</i></p>												
ISA09	I08	<b>Interchange Date</b>	M	DT	6/6	Must use						
<p><b>Description:</b> Date of the interchange</p> <p><b>Note:</b> <i>Date ISA was generated -- YYMMDD</i></p>												
ISA10	I09	<b>Interchange Time</b>	M	TM	4/4	Must use						
<p><b>Description:</b> Time of the interchange</p> <p><b>Note:</b> <i>Time ISA was generated -- HHMM</i></p>												
ISA11	I10	<b>Interchange Control Standards Identifier</b>	M	ID	1/1	Must use						
<p><b>Description:</b> Code to identify the agency responsible for the control standard used by the message that is enclosed by the interchange header and trailer</p>												
ISA12	I11	<b>Interchange Control Version Number</b>	M	ID	5/5	Must use						
<p><b>Description:</b> This version number covers the interchange control segments</p>												
<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>00401</td> <td>Standards Approved for publication by ASC X12 Procedures Review Board</td> </tr> </tbody> </table>							<u>Code</u>	<u>Name</u>	00401	Standards Approved for publication by ASC X12 Procedures Review Board		
<u>Code</u>	<u>Name</u>											
00401	Standards Approved for publication by ASC X12 Procedures Review Board											
ISA13	I12	<b>Interchange Control Number</b>	M	N0	9/9	Must use						
<p><b>Description:</b> A control number assigned by the interchange sender</p> <p><b>Note:</b> <i>Sender assigned sequential number starting with 1 incremented by 1 for each transmission.</i></p>												
ISA14	I13	<b>Acknowledgment Requested</b>	M	ID	1/1	Must use						
<p><b>Description:</b> Code sent by the sender to request an interchange acknowledgment (TA1)</p>												
<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No Acknowledgment Requested</td> </tr> </tbody> </table>							<u>Code</u>	<u>Name</u>	0	No Acknowledgment Requested		
<u>Code</u>	<u>Name</u>											
0	No Acknowledgment Requested											
ISA15	I14	<b>Usage Indicator</b>	M	ID	1/1	Must use						
<p><b>Description:</b> Code to indicate whether data enclosed by this interchange envelope is test, production or information</p>												
<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>P</td> <td>Production Data</td> </tr> <tr> <td>T</td> <td>Test Data</td> </tr> </tbody> </table>							<u>Code</u>	<u>Name</u>	P	Production Data	T	Test Data
<u>Code</u>	<u>Name</u>											
P	Production Data											
T	Test Data											

ISA16	I15	<b>Component Element Separator</b>	M	1/1	Must use
<b>Description:</b> Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator					
<b>Note:</b> '>'					

**GS**

# Functional Group Header

<b>Pos:</b>	<b>Max: 1</b>
<b>Not Defined - Mandatory</b>	
<b>Loop: N/A</b>	<b>Elements: 8</b>

**User Option (Usage):** Used

**Purpose:** To indicate the beginning of a functional group and to provide control information

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GS01	479	<b>Functional Identifier Code</b> <b>Description:</b> Code identifying a group of application related transaction sets	M	ID	2/2	Must use
		<b>Code</b> <b>Name</b> PO                Purchase Order (850)				
GS02	142	<b>Application Sender's Code</b> <b>Description:</b> Code identifying party sending transmission; codes agreed to by trading partners <b>Note:</b> Nordstrom Sender ID is NORDINTL	M	AN	2/15	Must use
GS03	124	<b>Application Receiver's Code</b> <b>Description:</b> Code identifying party receiving transmission. Codes agreed to by trading partners <b>Note:</b> Receiver ID Selected by Receiver	M	AN	2/15	Must use
GS04	373	<b>Date</b> <b>Description:</b> Date expressed as CCYYMMDD	M	DT	8/8	Must use
GS05	337	<b>Time</b> <b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	M	TM	4/8	Must use
GS06	28	<b>Group Control Number</b> <b>Description:</b> Assigned number originated and maintained by the sender <b>Note:</b> Sender assigned sequential number starting with 1 incremented by 1 for each transmission.	M	NO	1/9	Must use
GS07	455	<b>Responsible Agency Code</b> <b>Description:</b> Code used in conjunction with Data Element 480 to identify the issuer of the standard	M	ID	1/2	Must use
		<b>Code</b> <b>Name</b> X                 Accredited Standards Committee X12				
GS08	480	<b>Version / Release / Industry Identifier Code</b> <b>Description:</b> Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments.	M	AN	1/12	Must use
		<b>Code</b> <b>Name</b> 004010           Standards Approved for Publication by ASC X12 Procedures Review Board				

# ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the start of a transaction set and to assign a control number

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	<b>Transaction Set Identifier Code</b>	M	ID	3/3	Must use
<b>Description:</b> Code uniquely identifying a Transaction Set						
		<u>Code</u>		<u>Name</u>		
		850		Purchase Order		
ST02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						

# BEG Beginning Segment for Purchase Order

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 5

**User Option (Usage):** Must use

**Purpose:** To indicate the beginning of the Purchase Order Transaction Set and transmit identifying numbers and dates

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BEG01	353	<b>Transaction Set Purpose Code</b>	M	ID	2/2	Must use
		<b>Description:</b> Code identifying purpose of transaction set				
		<b>Code</b>		<b>Name</b>		
		00		Original		
		01		Cancellation		
		07		Duplicate		
BEG02	92	<b>Purchase Order Type Code</b>	M	ID	2/2	Must use
		<b>Description:</b> Code specifying the type of Purchase Order				
		<b>Code</b>		<b>Name</b>		
		BK		Blanket Order (Quantity Firm)		
		RE		Reorder		
		SA		Stand-alone Order		
BEG03	324	<b>Purchase Order Number</b>	M	AN	8/8	Must use
		<b>Description:</b> Identifying number for Purchase Order assigned by the orderer/purchaser				
		<b>Note:</b> Nordstrom Purchase Order Number - 8 numeric				
BEG04	328	<b>Release Number</b>	O	AN	1/30	Not used
		<b>Description:</b> Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction				
BEG05	373	<b>Date</b>	M	DT	8/8	Must use
		<b>Description:</b> Date expressed as CCYYMMDD				
		<b>Note:</b> Original Nordstrom Purchase Order Date				



# CUR Currency

<b>Pos: 040</b>	<b>Max: 1</b>
<b>Heading - Mandatory</b>	
<b>Loop: N/A</b>	<b>Elements: 2</b>

**User Option (Usage):** Must use

**Purpose:** To specify the currency (dollars, pounds, francs, etc.) used in a transaction

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CUR01	98	<b>Entity Identifier Code</b>	O	ID	2/3	Must use
		<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual				
		<b>Code</b>		<b>Name</b>		
		BY		Buying Party (Purchaser)		
CUR02	100	<b>Currency Code</b>	O	ID	3/3	Must use
		<b>Description:</b> Code (Standard ISO) for country in whose currency the charges are specified				
		<b>Note:</b> Standard ISO currency values apply.				

# REF Reference Identification

Pos: 050	Max: >1
Heading - Optional	
Loop: N/A	Elements: 3

**User Option (Usage):** Used  
**Purpose:** To specify identifying information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

<u>Code</u>	<u>Name</u>
4D	Shipping Zone <b>Note:</b> <i>BACK – Backhaul</i> <i>C - Cost</i> <i>CFR – Cost &amp; Freight</i> <i>CI - Cost and Insurance</i> <i>CIF - Cost, Insurance and Freight</i> <i>DDP – Delivered Duty Paid</i> <i>DLV - Delivered</i> <i>EXW – Exit Works</i> <i>FCA – Free Carrier</i> <i>FOB - Free on Board</i> <i>PUP - Pick-up</i>
DP	Department Number <b>Note:</b> <i>Nordstrom Department Numbers are 4-digit numeric with leading 0's. For example, Department 28 would be sent as 0028.</i>
IA	Internal Vendor Number <b>Note:</b> <i>Nordstrom 10-digit Partner Number - Nordstrom Partner numbers are 10 digits with leading 0's (10/10 N0)</i>
MR	Merchandise Type Code <b>Note:</b> <i>Nordstrom Season Code used for Ticketing</i>  <i>Ticket format will include a 1-digit season code and a 2-digit year – for example:</i> <i>S16 = Spring 16</i> <i>F16 = Fall 16</i> <i>S17 = Spring 17</i> <i>F17 = Fall 17</i>
PD	Promotion/Deal Number <b>Note:</b> <i>Nordstrom PO Type - for a list of values see <a href="http://www.nordstromsupplier.com">PO Type List</a> located on our website <a href="http://www.nordstromsupplier.com">www.nordstromsupplier.com</a> under the Reference Materials section.</i>
PG	Product Group <b>Note:</b> <i>Nordstrom Brand Division Code</i>

TC	Vendor Terms
	<b>Note:</b> <i>Nordstrom Vendor Terms which may include:</i> <i>00 - Vendor pays no freight</i> <i>01 - Vendor pays total freight</i> <i>02 - Vendor pays 1/2 freight</i> <i>03 - Vendor pays difference between surface and air</i> <i>04 - Vendor pays 1/2 difference between surface and air</i> <i>05 - Other Special Arrangements</i>
VN	Vendor Order Number
ZZ	Mutually Defined
	<b>Note:</b> <i>Nordstrom PO Terms &amp; Conditions Statement.</i>
PGC	Packing Group Code
	<b>Note:</b> <i>STORE = Store Pack</i> <i>BULK = Bulk Pack</i>  <i>Please see website for further instructions on how to package merchandise for shipping</i> <i>www.nordstromsupplier.com.</i>

REF02	127	<b>Reference Identification</b>	C	AN	1/15	Used
		<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
REF03	352	<b>Description</b>	C	AN	1/80	Used
		<b>Description:</b> A free-form description to clarify the related data elements and their content				

**Syntax Rules:**

1. At least one of REF02 or REF03 is required.

<b>Note:</b>
<i>Nordstrom will send at least three occurrences of the REF:</i>
<i>(1) The Nordstrom partner number.</i>
<i>(2) The Nordstrom department number.</i>
<i>(3) A statement referring to Nordstrom's PO Terms &amp; Conditions.</i>

**PER**

# Administrative Communications Contact

Pos: 060	Max: 3
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To identify a person or office to whom administrative communications should be directed

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PER01	366	Contact Function Code	O	ID	2/2	Must use

**Description:** Code identifying the major duty or responsibility of the person or group named

<u>Code</u>	<u>Name</u>
BD	Buyer Name or Department

**Note:**  
*Buyer's Name*

FB	Coordinator
----	-------------

**Note:**  
*Planner's Name (Lan ID)*

PER02	93	Name	O	AN	1/60	Must use
-------	----	------	---	----	------	----------

**Description:** Free-form name

# FOB F.O.B. Related Instructions

Pos: 080	Max: >1
Heading - Mandatory	
Loop: N/A	Elements: 7

**User Option (Usage):** Used

**Purpose:** To specify transportation instructions relating to shipment

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FOB01	146	<b>Shipment Method of Payment</b>	O	ID	2/2	Must use
		<b>Description:</b> Code identifying payment terms for transportation charges				
		<u>Code</u>		<u>Name</u>		
		CC		Collect		
		CF		Collect, Freight Credited Back to Customer		
		DF		Defined by Buyer and Seller		
		MX		Mixed		
		PC		Prepaid but Charged to Customer		
		PO		Prepaid Only		
		PP		Prepaid (by Seller)		
FOB02	309	<b>Location Qualifier</b>	C	ID	1/2	Used
		<b>Description:</b> Code identifying type of location				
		<u>Code</u>		<u>Name</u>		
		O		Office Address		
		AC		City and State		
		CA		Country of Origin		
		CC		Country		
		CI		City		
		CO		County/Parish and State		
		CS		Canadian SPLC		
		CY		County/Parish		
		DE		Destination (Shipping)		
		FA		Factory		
		FE		Freight Equalization Point		
		FF		Foreign Freight Forwarder Location		
		MI		Mill		
		NS		City/State from Points		
		OA		Origin (After Loading on Equipment)		
		OR		Origin (Shipping Point)		
		OV		On Vessel (Free On Board [FOB] point)		
		SP		State/Province		
		TL		Terminal Cargo Location		
		WH		Warehouse		
		ZZ		Mutually Defined		
FOB03	352	<b>Description</b>	O	AN	1/45	Used
		<b>Description:</b> A free-form description to clarify the related data elements and their content				
FOB04	334	<b>Transportation Terms Qualifier Code</b>	O	ID	2/2	Not used
		<b>Description:</b> Code identifying the source of the transportation terms				
FOB05	335	<b>Transportation Terms Code</b>	C	ID	3/3	Not used
		<b>Description:</b> Code identifying the trade terms				

which apply to the shipment transportation responsibility

FOB06 309 **Location Qualifier** C ID 1/2 Used

**Description:** Code identifying type of location

<u>Code</u>	<u>Name</u>
O	Office Address
AC	City and State
CA	Country of Origin
CC	Country
CI	City
CO	County/Parish and State
CS	Canadian SPLC
CY	County/Parish
DE	Destination (Shipping)
FA	Factory
FE	Freight Equalization Point
FF	Foreign Freight Forwarder Location
MI	Mill
NS	City/State from Points
OA	Origin (After Loading on Equipment)
OR	Origin (Shipping Point)
OV	On Vessel (Free On Board [FOB] point)
SP	State/Province
TL	Terminal Cargo Location
WH	Warehouse
ZZ	Mutually Defined

FOB07 352 **Description** O AN 1/45 Used

**Description:** A free-form description to clarify the related data elements and their content

### Syntax Rules:

1. If FOB03 is present, then FOB02 is required.
2. If FOB04 is present, then FOB05 is required.
3. If FOB07 is present, then FOB06 is required.

### Note:

*FOB01 indicates which party will pay the carrier.*

*FOB02 is the code specifying transportation responsibility location.*

*FOB06 is the code specifying the title passage location.*

ITD

# Terms of Sale/Deferred Terms of Sale

Pos: 130	Max: >1
Heading - Optional	
Loop: N/A	Elements: 13

**User Option (Usage):** Used  
**Purpose:** To specify terms of sale

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>																						
ITD01	336	<b>Terms Type Code</b>  <b>Description:</b> Code identifying type of payment terms	O	ID	2/2	Used																						
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr><td>01</td><td>Basic</td></tr> <tr><td>02</td><td>End of Month (EOM)</td></tr> <tr><td>05</td><td>Discount Not Applicable</td></tr> <tr><td>08</td><td>Basic Discount Offered</td></tr> <tr><td>12</td><td>10 Days After End of Month (10 EOM)</td></tr> <tr><td>14</td><td>Previously agreed upon</td></tr> <tr><td>41</td><td>Letter of Credit</td></tr> <tr><td>45</td><td>Bank Transfer</td></tr> <tr><td>PP</td><td>Prepayment</td></tr> <tr><td>ZZ</td><td>Mutually Defined</td></tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	01	Basic	02	End of Month (EOM)	05	Discount Not Applicable	08	Basic Discount Offered	12	10 Days After End of Month (10 EOM)	14	Previously agreed upon	41	Letter of Credit	45	Bank Transfer	PP	Prepayment	ZZ	Mutually Defined				
<u>Code</u>	<u>Name</u>																											
01	Basic																											
02	End of Month (EOM)																											
05	Discount Not Applicable																											
08	Basic Discount Offered																											
12	10 Days After End of Month (10 EOM)																											
14	Previously agreed upon																											
41	Letter of Credit																											
45	Bank Transfer																											
PP	Prepayment																											
ZZ	Mutually Defined																											
ITD02	333	<b>Terms Basis Date Code</b>  <b>Description:</b> Code identifying the beginning of the terms period	O	ID	1/2	Used																						
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr><td>15</td><td>Receipt of Goods</td></tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	15	Receipt of Goods																						
<u>Code</u>	<u>Name</u>																											
15	Receipt of Goods																											
ITD03	338	<b>Terms Discount Percent</b>  <b>Description:</b> Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date	O	R	1/6	Used																						
ITD04	370	<b>Terms Discount Due Date</b>  <b>Description:</b> Date payment is due if discount is to be earned expressed in format CCYYMMDD	C	DT	8/8	Not used																						
ITD05	351	<b>Terms Discount Days Due</b>  <b>Description:</b> Number of days in the terms discount period by which payment is due if terms discount is earned	C	N0	1/3	Used																						
ITD06	446	<b>Terms Net Due Date</b>  <b>Description:</b> Date when total invoice amount becomes due expressed in format CCYYMMDD	O	DT	8/8	Not used																						
ITD07	386	<b>Terms Net Days</b>  <b>Description:</b> Number of days until total invoice amount is due (discount not applicable)	O	N0	1/3	Used																						
ITD08	362	<b>Terms Discount Amount</b>  <b>Description:</b> Total amount of terms discount	O	N2	1/10	Not used																						
ITD09	388	<b>Terms Deferred Due Date</b>	O	DT	8/8	Not used																						

		<b>Description:</b> Date deferred payment or percent of invoice payable is due expressed in format CCYYMMDD				
ITD10	389	<b>Deferred Amount Due</b>	C	N2	1/10	Not used
		<b>Description:</b> Deferred amount due for payment				
ITD11	342	<b>Percent of Invoice Payable</b>	C	R	1/5	Not used
		<b>Description:</b> Amount of invoice payable expressed in percent				
ITD12	352	<b>Description</b>	O	AN	1/50	Used
		<b>Description:</b> A free-form description to clarify the related data elements and their content				
ITD13	765	<b>Day of Month</b>	C	N0	1/2	Used
		<b>Description:</b> The numeric value of the day of the month between 1 and the maximum day of the month being referenced				

### Syntax Rules:

1. If ITD03 is present, then at least one of ITD04, ITD05 or ITD13 is required.
2. If ITD08 is present, then at least one of ITD04, ITD05 or ITD13 is required.
3. If ITD09 is present, then at least one of ITD10 or ITD11 is required.

### Note:

*Nordstrom could send up to 2 occurrences of the ITD segment.*



# DTM Date/Time Reference

Pos: 150	Max: 10
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Used

**Purpose:** To specify pertinent dates and times

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	O	ID	3/3	Must use

**Description:** Code specifying type of date or time, or both date and time

<u>Code</u>	<u>Name</u>
001	Cancel After <b>Note:</b> <i>Latest date that the goods can be shipped to the DC.</i>
037	Ship Not Before <b>Note:</b> <i>Earliest date that the goods can be shipped to the DC</i>
063	Do Not Deliver After <b>Note:</b> <i>Latest date that the goods can be shipped from the factory.</i>
064	Do Not Deliver Before <b>Note:</b> <i>Earliest date that the goods can be shipped from the factory.</i>
311	Latest Receiving Date/Cutoff Date <b>Note:</b> <i>Date the goods need to be in the store.</i>
ZZZ	Mutually Defined <b>Note:</b> <i>Earliest date that the tickets can be ordered from the ticket provider.</i>

DTM02	373	Date	C	DT	8/8	Used
-------	-----	------	---	----	-----	------

**Description:** Date expressed as CCYYMMDD

## Syntax Rules:

1. At least one of DTM02, DTM03 or DTM05 is required.

## Note:

Nordstrom will send six occurrences of the DTM.

- (1) The first occurrence will contain the Early Ship Date (037).
- (2) The second occurrence will contain the Past Cancel Date (001).
- (3) The third occurrence will contain the Do Not Deliver Before (064).
- (4) The fourth occurrence will contain the Do Not Deliver After (063).
- (5) The fifth occurrence will contain the Date that the goods need to be in the store (311).
- (6) The sixth occurrence will contain the Earliest ship date that tickets can be ordered (ZZZ).

# PKG Marking, Packaging, Loading

Pos: 220	Max: 200
Heading - Optional	
Loop: N/A	Elements: 6

**User Option (Usage):** Used

**Purpose:** To describe marking, packaging, loading, and unloading requirements

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
PKG01	349	<b>Item Description Type</b> <b>Description:</b> Code indicating the format of a description	C	ID	1/1	Used				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>F</td> <td>Free-form</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	F	Free-form				
<u>Code</u>	<u>Name</u>									
F	Free-form									
PKG02	753	<b>Packaging Characteristic Code</b> <b>Description:</b> Code specifying the marking, packaging, loading and related characteristics being described	O	ID	1/5	Not used				
PKG03	559	<b>Agency Qualifier Code</b> <b>Description:</b> Code identifying the agency assigning the code values	C	ID	2/2	Not used				
PKG04	754	<b>Packaging Description Code</b> <b>Description:</b> A code from an industry code list which provides specific data about the marking, packaging or loading and unloading of a product	C	AN	1/7	Not used				
PKG05	352	<b>Description</b> <b>Description:</b> A free-form description to clarify the related data elements and their content <b>Note:</b> <i>FLAT</i> <i>HANG</i> <i>WHGFL = Flat with hanger</i>	C	AN	1/16	Used				
PKG06	400	<b>Unit Load Option Code</b> <b>Description:</b> Code identifying loading or unloading a shipment	C	ID	2/2	Not used				

## Syntax Rules:

1. At least one of PKG04, PKG05 or PKG06 is required.
2. If PKG04 is present, then PKG03 is required.
3. If PKG05 is present, then PKG01 is required.

# TD5 Carrier Details (Routing Sequence/Transit Time)

Pos: 240	Max: 12
Heading - Optional	
Loop: N/A	Elements: 8

User Option (Usage): Used

Purpose: To specify the carrier and sequence of routing and provide transit time information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD501	133	<b>Routing Sequence Code</b> <b>Description:</b> Code describing the relationship of a carrier to a specific shipment movement	O	ID	1/2	Not used
TD502	66	<b>Identification Code Qualifier</b> <b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)	C	ID	1/2	Not used
		<u>Code</u> <u>Name</u> AE          Alberta Energy Resources Conservation Board				
TD503	67	<b>Identification Code</b> <b>Description:</b> Code identifying a party or other code <b>Note:</b> <i>The IATA description code.</i>	C	AN	2/40	Used
TD504	91	<b>Transportation Method/Type Code</b> <b>Description:</b> Code specifying the method or type of transportation for the shipment	C	ID	1/2	Used
		<u>Code</u> <u>Name</u> A          Air D          Parcel Post M          Motor (Common Carrier) R          Rail S          Ocean AE        Air Express				
TD505	387	<b>Routing</b> <b>Description:</b> Free-form description of the routing or requested routing for shipment, or the originating carrier's identity	C	AN	1/35	Not used
TD506	368	<b>Shipment/Order Status Code</b> <b>Description:</b> Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction	C	ID	2/2	Not used
TD507	309	<b>Location Qualifier</b> <b>Description:</b> Code identifying type of location	O	ID	1/2	Used
		<u>Code</u> <u>Name</u> PB        Port of Discharge/Entry PE        Port of Lading/Exit				
TD508	310	<b>Location Identifier</b> <b>Description:</b> Code which identifies a specific location <b>Note:</b> <i>IATA code for Port</i>	C	AN	1/5	Used

# N9 Reference Identification

Pos: 295	Max: 1
Heading - Optional	
Loop: N9	Elements: 2

**User Option (Usage):** Used

**Purpose:** To transmit identifying information as specified by the Reference Identification Qualifier

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

<u>Code</u>	<u>Name</u>
LI	Line Item Identifier (Seller's)

**Note:**

*This is the Out-of-Country processing indicator, it is used to identify if more than one country is involved with the manufacturing. There will be a "Y" or "N" indicator in the N902.*

N902	127	Reference Identification	C	AN	1/30	Used
------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**Note:** Y = More than one country.  
N = Only one country.

## Syntax Rules:

- At least one of N902 or N903 is required.

**Note:**

*If the out-of-country processing indicator is not present in N902 and MSG send is present; PO number will be present in N902. Qualifier 'PO' is used when manufacturer comments have been updated (MSG segment). This is to fulfill the standard EDI requirement that the N9 segment precedes the MSG segment.*

# MSG Message Text

Pos: 300	Max: 1000
Heading - Optional	
Loop: N9	Elements: 1

**User Option (Usage):** Used

**Purpose:** To provide a free-form format that allows the transmission of text information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MSG01	933	Free-Form Message Text	M	AN	1/75	Must use
<b>Description:</b> Free-form message text						
<b>Note:</b> <i>Manufacturer Comments</i>						

# N1

# Name

<b>Pos: 310</b>	<b>Max: 1</b>
<b>Heading - Optional</b>	
<b>Loop: N1</b>	<b>Elements: 4</b>

**User Option (Usage):** Used

**Purpose:** To identify a party by type of organization, name, and code

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use

**Description:** Code identifying an organizational entity, a physical location, property or an individual

<u>Code</u>	<u>Name</u>
30	Service Supplier <b>Note:</b> <i>Ticket Supplier</i>
AG	Agent/Agency
BR	Broker
CS	Consolidator
CT	Country of Origin <b>Note:</b> <i>Country of origin code will appear in the N102</i>
FA	Facility <b>Note:</b> <i>Primary Factory</i>
GW	Group <b>Note:</b> <i>Used to manage the delivery of freight to the DC.</i>
SU	Supplier/Manufacturer
TO	Message To <b>Note:</b> <i>This is to identify the Nordstrom Assigned Vendor Number for pre-ticketing and invoicing purposes.</i>
ZZ	Mutually Defined <b>Note:</b> <i>Secondary Factory</i>

N102	93	<b>Name</b>	C	AN	1/40	Used
------	----	-------------	---	----	------	------

**Description:** Free-form name

N103	66	<b>Identification Code Qualifier</b>	C	ID	1/2	Used
------	----	--------------------------------------	---	----	-----	------

**Description:** Code designating the system/method of code structure used for Identification Code (67)

<u>Code</u>	<u>Name</u>
92	Assigned by Buyer or Buyer's Agent

N104	67	<b>Identification Code</b>	C	AN	10/10	Used
------	----	----------------------------	---	----	-------	------

**Description:** Code identifying a party or other code

**Note:** Agent/Agency number is 10 digits.  
Broker number is 10 digits.  
Consolidator number is 10 digits.  
Delivery Group number is 2 digits.  
Ticket Supplier number is 10 digits.  
Nordstrom Partner number is 10 digits.

*Nordstrom Assigned Vendor number is 10 digits.  
Primary Factory number is 10 digits.  
Secondary Factory number is 10 digits.*

**Syntax Rules:**

1. At least one of N102 or N103 is required.
2. If either N103 or N104 is present, then the other is required.

# PO1 Baseline Item Data

<b>Pos: 010</b>	<b>Max: 1</b>
<b>Detail - Mandatory</b>	
<b>Loop: PO1</b>	<b>Elements: 13</b>

**User Option (Usage):** Must use

**Purpose:** To specify basic and most frequently used line item data

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>						
PO101	350	<b>Assigned Identification</b> <b>Description:</b> Alphanumeric characters assigned for differentiation within a transaction set	O	AN	1/20	Used						
PO102	330	<b>Quantity Ordered</b> <b>Description:</b> Quantity ordered	O	R	1/15	Must use						
PO103	355	<b>Unit or Basis for Measurement Code</b> <b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken  <table border="0"> <tr> <td><u>Code</u></td> <td><u>Name</u></td> </tr> <tr> <td>CA</td> <td>Case</td> </tr> <tr> <td>EA</td> <td>Each</td> </tr> </table>	<u>Code</u>	<u>Name</u>	CA	Case	EA	Each	O	ID	2/2	Used
<u>Code</u>	<u>Name</u>											
CA	Case											
EA	Each											
PO104	212	<b>Unit Price</b> <b>Description:</b> Price per unit of product, service, commodity, etc.	C	R	1/17	Used						
PO105	639	<b>Basis of Unit Price Code</b> <b>Description:</b> Code identifying the type of unit price for an item  <table border="0"> <tr> <td><u>Code</u></td> <td><u>Name</u></td> </tr> <tr> <td>PE</td> <td>Price per Each</td> </tr> </table>	<u>Code</u>	<u>Name</u>	PE	Price per Each	O	ID	2/2	Used		
<u>Code</u>	<u>Name</u>											
PE	Price per Each											
PO106	235	<b>Product/Service ID Qualifier</b> <b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)  <table border="0"> <tr> <td><u>Code</u></td> <td><u>Name</u></td> </tr> <tr> <td>EN</td> <td>European Article Number (EAN) (2-5-5-1)</td> </tr> <tr> <td>UP</td> <td>U.P.C. Consumer Package Code (1-5-5-1)</td> </tr> </table>	<u>Code</u>	<u>Name</u>	EN	European Article Number (EAN) (2-5-5-1)	UP	U.P.C. Consumer Package Code (1-5-5-1)	C	ID	2/2	Used
<u>Code</u>	<u>Name</u>											
EN	European Article Number (EAN) (2-5-5-1)											
UP	U.P.C. Consumer Package Code (1-5-5-1)											
PO107	234	<b>Product/Service ID</b> <b>Description:</b> Identifying number for a product or service	C	AN	1/14	Used						
PO108	235	<b>Product/Service ID Qualifier</b> <b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)  <table border="0"> <tr> <td><u>Code</u></td> <td><u>Name</u></td> </tr> <tr> <td>VA</td> <td>Vendor's Style Number</td> </tr> </table>	<u>Code</u>	<u>Name</u>	VA	Vendor's Style Number	C	ID	2/2	Used		
<u>Code</u>	<u>Name</u>											
VA	Vendor's Style Number											
PO109	234	<b>Product/Service ID</b> <b>Description:</b> Identifying number for a product or service	C	AN	1/48	Used						



PO110	235	<b>Product/Service ID Qualifier</b> <b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234) <b>Code</b> <b>Name</b> IN                    Buyer's Item Number	C	ID	2/2	Used
PO111	234	<b>Product/Service ID</b> <b>Description:</b> Identifying number for a product or service <b>Note:</b> <i>Nordstrom Class code for pre-ticketing purposes - this value will always be '0'</i>	C	AN	1/4	Used
PO112	235	<b>Product/Service ID Qualifier</b> <b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234) <b>Code</b> <b>Name</b> SK                    Stock Keeping Unit (SKU)	C	ID	2/2	Used
PO113	234	<b>Product/Service ID</b> <b>Description:</b> Identifying number for a product or service <b>Note:</b> <i>SKU Number</i>	C	AN	1/8	Used

### Syntax Rules:

1. If PO103 is present, then PO102 is required.
2. If PO105 is present, then PO104 is required.
3. If either PO106 or PO107 is present, then the other is required.
4. If either PO108 or PO109 is present, then the other is required.
5. If either PO110 or PO111 is present, then the other is required.

# CTP Pricing Information

<b>Pos: 040</b>	<b>Max: 1</b>
<b>Detail - Optional</b>	
<b>Loop: CTP</b>	<b>Elements: 11</b>

**User Option (Usage):** Used  
**Purpose:** To specify pricing information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>										
CTP01	687	<b>Class of Trade Code</b> <b>Description:</b> Code indicating class of trade	O	ID	2/2	Not used										
CTP02	236	<b>Price Identifier Code</b> <b>Description:</b> Code identifying pricing specification	C	ID	3/3	Used										
		<table border="0"> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> <tr> <td>PAQ</td> <td>Price Break Quantity(s)</td> </tr> <tr> <td>PRP</td> <td>Promotional price</td> </tr> <tr> <td>RES</td> <td>Resale</td> </tr> <tr> <td>SPC</td> <td>Special Price</td> </tr> </table> <p><b>Note:</b> This is the promotional Multi Unit RETAI. The Multi UNITS will appear in CTP11</p> <p><b>Note:</b> This is the Regular Multi Unit RETAIL. Regular Multi UNITS will appear in CTP11.</p>	<u>Code</u>	<u>Name</u>	PAQ	Price Break Quantity(s)	PRP	Promotional price	RES	Resale	SPC	Special Price				
<u>Code</u>	<u>Name</u>															
PAQ	Price Break Quantity(s)															
PRP	Promotional price															
RES	Resale															
SPC	Special Price															
CTP03	212	<b>Unit Price</b> <b>Description:</b> Price per unit of product, service, commodity, etc.	C	R	1/17	Used										
CTP04	380	<b>Quantity</b> <b>Description:</b> Numeric value of quantity	C	R	1/15	Not used										
CTP05	C001	<b>Composite Unit of Measure</b> <b>Description:</b> To identify a composite unit of measure	C	Comp		Not used										
CTP06	648	<b>Price Multiplier Qualifier</b> <b>Description:</b> Code indicating the type of price multiplier	O	ID	3/3	Not used										
CTP07	649	<b>Multiplier</b> <b>Description:</b> Value to be used as a multiplier to obtain a new value	C	R	1/10	Not used										
CTP08	782	<b>Monetary Amount</b> <b>Description:</b> Monetary amount	O	R	1/18	Not used										
CTP09	639	<b>Basis of Unit Price Code</b> <b>Description:</b> Code identifying the type of unit price for an item	O	ID	2/2	Not used										
CTP10	499	<b>Condition Value</b> <b>Description:</b> Identifies rate restrictions or provisions	O	AN	1/10	Not used										
CTP11	289	<b>Multiple Price Quantity</b> <b>Description:</b> Quantity of units for a given price, e.g., 3 for \$10.00	O	N0	1/2	Used										

**Note:**  
 Nordstrom could send up to 4 occurrences of the CTP.

# PID Product/Item Description

Pos: 050	Max: 1
Detail - Optional	
Loop: PID	Elements: 5

**User Option (Usage):** Used

**Purpose:** To describe a product or process in coded or free-form format

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>												
PID01	349	<b>Item Description Type</b> <b>Description:</b> Code indicating the format of a description	M	ID	1/1	Must use												
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>F</td> <td>Free-form</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	F	Free-form												
<u>Code</u>	<u>Name</u>																	
F	Free-form																	
PID02	750	<b>Product/Process Characteristic Code</b> <b>Description:</b> Code identifying the general class of a product or process characteristic	O	ID	2/3	Used												
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>08</td> <td>Product</td> </tr> <tr> <td>09</td> <td>Sub-product</td> </tr> <tr> <td colspan="2"><b>Note:</b> <i>Alternate Item Description</i></td> </tr> <tr> <td>73</td> <td>Vendor color description</td> </tr> <tr> <td>74</td> <td>Vendor size description</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	08	Product	09	Sub-product	<b>Note:</b> <i>Alternate Item Description</i>		73	Vendor color description	74	Vendor size description				
<u>Code</u>	<u>Name</u>																	
08	Product																	
09	Sub-product																	
<b>Note:</b> <i>Alternate Item Description</i>																		
73	Vendor color description																	
74	Vendor size description																	
PID03	559	<b>Agency Qualifier Code</b> <b>Description:</b> Code identifying the agency assigning the code values	C	ID	2/2	Used												
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>VI</td> <td>Voluntary Inter-Industry Commerce Standard (VICS) EDI</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	VI	Voluntary Inter-Industry Commerce Standard (VICS) EDI												
<u>Code</u>	<u>Name</u>																	
VI	Voluntary Inter-Industry Commerce Standard (VICS) EDI																	
PID04	751	<b>Product Description Code</b> <b>Description:</b> A code from an industry code list which provides specific data about a product characteristic	C	AN	1/12	Not used												
PID05	352	<b>Description</b> <b>Description:</b> A free-form description to clarify the related data elements and their content <b>Note:</b> <i>The Harmonized Tariff Number will appear in the PID05. Nordstrom could send up to four Harmonized Tariff Numbers.</i>	C	AN	1/80	Used												

## Syntax Rules:

1. If PID04 is present, then PID03 is required.
2. At least one of PID04 or PID05 is required.

## Note:

*Nordstrom could send up to eight occurrences of the PID.*

- (1) *The first occurrence will contain the Product Description (08).*
- (2) *The second occurrence will contain the alternate product (09).*
- (3) *The third occurrence will contain the Color Description (73).*
- (4) *The fourth occurrence will contain the Size description (74).*
- (5-8) *The other four occurrences will contain Harmonized Tariff numbers (PID05)*

# REF Reference Identification

Pos: 100	Max: >1
Detail - Optional	
Loop: PO1	Elements: 2

**User Option (Usage):** Used  
**Purpose:** To specify identifying information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

<u>Code</u>	<u>Name</u>
CMT	Component

**Note:**  
*Nordstrom provided component to manufacturer that added to the value of the garment*

REF02	127	Reference Identification	C	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**Note:** *Y = Nordstrom provided component to manufacturer that added to the value of the garment.*

*N = Nordstrom did not provide component to manufacturer that added to the value of the garment.*

## Syntax Rules:

1. At least one of REF02 or REF03 is required.

# SAC Service, Promotion, Allowance, or Charge Information

Pos: 130	Max: 1
Detail - Optional	
Loop: SAC	Elements: 13

**User Option (Usage):** Used

**Purpose:** To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SAC01	248	<b>Allowance or Charge Indicator</b> <b>Description:</b> Code which indicates an allowance or charge for the service specified	M	ID	1/1	Must use
		<b>Code</b> <b>Name</b> N                    No Allowance or Charge				
SAC02	1300	<b>Service, Promotion, Allowance, or Charge Code</b> <b>Description:</b> Code identifying the service, promotion, allowance, or charge	C	ID	4/4	Not used
SAC03	559	<b>Agency Qualifier Code</b> <b>Description:</b> Code identifying the agency assigning the code values	C	ID	1/10	Used
		<b>Code</b> <b>Name</b> VI                  Voluntary Inter-Industry Commerce Standard (VICS) EDI				
SAC04	1301	<b>Agency Service, Promotion, Allowance, or Charge Code</b> <b>Description:</b> Agency maintained code identifying the service, promotion, allowance, or charge <b>Note:</b> TC990101 - Ticketing Service HA - Hanging Service	C	AN	2/2	Used
SAC05	610	<b>Amount</b> <b>Description:</b> Monetary amount	O	N2	1/15	Not used
SAC06	378	<b>Allowance/Charge Percent Qualifier</b> <b>Description:</b> Code indicating on what basis allowance or charge percent is calculated	C	ID	1/1	Not used
SAC07	332	<b>Percent</b> <b>Description:</b> Percent expressed as a percent	C	R	1/6	Not used
SAC08	118	<b>Rate</b> <b>Description:</b> Rate expressed in the standard monetary denomination for the currency specified	O	R	1/9	Not used
SAC09	355	<b>Unit or Basis for Measurement Code</b> <b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	C	ID	2/2	Not used
SAC10	380	<b>Quantity</b> <b>Description:</b> Numeric value of quantity	C	R	1/15	Not used
SAC11	380	<b>Quantity</b> <b>Description:</b> Numeric value of quantity	O	R	1/15	Not used

SAC12	331	<b>Allowance or Charge Method of Handling Code</b>	O	ID	2/2	Not used
		<b>Description:</b> Code indicating method of handling for an allowance or charge				
SAC13	127	<b>Reference Identification</b>	C	AN	1/30	Used
		<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
		<b>Note:</b> <i>Ticketing Code as defined in Nordstrom Supplier Compliance Manual. Hanger Type as defined in the Nordstrom Supplier Compliance Manual.</i>				

### Syntax Rules:

1. At least one of SAC02 or SAC03 is required.
2. If either SAC03 or SAC04 is present, then the other is required.
3. If either SAC06 or SAC07 is present, then the other is required.
4. If either SAC09 or SAC10 is present, then the other is required.
5. If SAC11 is present, then SAC10 is required.
6. If SAC13 is present, then at least one of SAC02 or SAC04 is required.

### Note:

*The SAC could occur up to two times.*

# SDQ Destination Quantity

Pos: 190	Max: 500
Detail - Optional	
Loop: PO1	Elements: 22

**User Option (Usage):** Used  
**Purpose:** To specify destination and quantity detail

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SDQ01	355	<b>Unit or Basis for Measurement Code</b>  <b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken  <u>Code</u> <u>Name</u> EA            Each	M	ID	2/2	Used
SDQ02	66	<b>Identification Code Qualifier</b>  <b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)  <u>Code</u> <u>Name</u> 92            Assigned by Buyer or Buyer's Agent	O	ID	1/2	Used
SDQ03	67	<b>Identification Code</b>  <b>Description:</b> Code identifying a party or other code <b>Note:</b> Nordstrom Store Numbers are 4-digit numeric with leading 0's. For example, Store 1 would be sent as 0001.  <i>The SDQ is followed by an N1 segment with the ST qualifier. Use the value in the N102 as the DC/Store shipping location. All merchandise for the stores listed on the SDQ should be shipped to the DC/Store specified on the N1.</i>	M	AN	4/4	Used
SDQ04	380	<b>Quantity</b>  <b>Description:</b> Numeric value of quantity	M	R	1/15	Must use
SDQ05	67	<b>Identification Code</b>  <b>Description:</b> Code identifying a party or other code	C	AN	4/4	Used
SDQ06	380	<b>Quantity</b>  <b>Description:</b> Numeric value of quantity	C	R	1/15	Used
SDQ07	67	<b>Identification Code</b>  <b>Description:</b> Code identifying a party or other code	C	AN	4/4	Used
SDQ08	380	<b>Quantity</b>  <b>Description:</b> Numeric value of quantity	C	R	1/15	Used
SDQ09	67	<b>Identification Code</b>  <b>Description:</b> Code identifying a party or other code	C	AN	4/4	Used
SDQ10	380	<b>Quantity</b>  <b>Description:</b> Numeric value of quantity	C	R	1/15	Used

SDQ11	67	<b>Identification Code</b> <b>Description:</b> Code identifying a party or other code	C	AN	4/4	Used
SDQ12	380	<b>Quantity</b> <b>Description:</b> Numeric value of quantity	C	R	1/15	Used
SDQ13	67	<b>Identification Code</b> <b>Description:</b> Code identifying a party or other code	C	AN	4/4	Used
SDQ14	380	<b>Quantity</b> <b>Description:</b> Numeric value of quantity	C	R	1/15	Used
SDQ15	67	<b>Identification Code</b> <b>Description:</b> Code identifying a party or other code	C	AN	4/4	Used
SDQ16	380	<b>Quantity</b> <b>Description:</b> Numeric value of quantity	C	R	1/15	Used
SDQ17	67	<b>Identification Code</b> <b>Description:</b> Code identifying a party or other code	C	AN	4/4	Used
SDQ18	380	<b>Quantity</b> <b>Description:</b> Numeric value of quantity	C	R	1/15	Used
SDQ19	67	<b>Identification Code</b> <b>Description:</b> Code identifying a party or other code	C	AN	4/4	Used
SDQ20	380	<b>Quantity</b> <b>Description:</b> Numeric value of quantity	C	R	1/15	Used
SDQ21	67	<b>Identification Code</b> <b>Description:</b> Code identifying a party or other code	C	AN	4/4	Used
SDQ22	380	<b>Quantity</b> <b>Description:</b> Numeric value of quantity	C	R	1/15	Used

### Syntax Rules:

1. P0506 - If either SDQ05 or SDQ06 is present, then the other is required.
2. P0708 - If either SDQ07 or SDQ08 is present, then the other is required.
3. P0910 - If either SDQ09 or SDQ10 is present, then the other is required.
4. P1112 - If either SDQ11 or SDQ12 is present, then the other is required.
5. P1314 - If either SDQ13 or SDQ14 is present, then the other is required.
6. P1516 - If either SDQ15 or SDQ16 is present, then the other is required.
7. P1718 - If either SDQ17 or SDQ18 is present, then the other is required.
8. P1920 - If either SDQ19 or SDQ20 is present, then the other is required.
9. P2122 - If either SDQ21 or SDQ22 is present, then the other is required.

### Note:

*An SDQ segment can hold up to 10 locations. When the PO has more than 10 locations, additional SDQ segments will be sent.*



# N1

## Name

<b>Pos: 350</b>	<b>Max: 1</b>
<b>Detail - Optional</b>	
<b>Loop: N1</b>	<b>Elements: 2</b>

**User Option (Usage):** Used

**Purpose:** To identify a party by type of organization, name, and code

### Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	<b>Entity Identifier Code</b>	O	ID	2/3	Used
<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual						
		<u>Code</u>		<u>Name</u>		
		ST		Ship To		
N102	93	<b>Name</b>	C	AN	4/4	Used
<b>Description:</b> Free-form name						
<b>Note:</b> Nordstrom Store/DC numbers are 4-digit numeric with leading 0's. For example, DC 89 would be sent as 0089.						

### Syntax Rules:

1. At least one of N102 or N103 is required.

# CTT Transaction Totals

Pos: 010	Max: 1
Summary - Optional	
Loop: CTT	Elements: 1

**User Option (Usage):** Used

**Purpose:** To transmit a hash total for a specific element in the transaction set

### Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	N0	1/6	Must use

**Description:** Total number of line items in the transaction set

### Note:

*The number of PO1 segments present in the transaction set.*

# SE Transaction Set Trailer

Pos: 030	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	<b>Number of Included Segments</b> <b>Description:</b> Total number of segments included in a transaction set including ST and SE segments	M	N0	1/10	Must use
SE02	329	<b>Transaction Set Control Number</b> <b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M	AN	4/9	Must use

# GE

## Functional Group Trailer

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Used

**Purpose:** To indicate the end of a functional group and to provide control information

### Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GE01	97	<b>Number of Transaction Sets Included</b>  <b>Description:</b> Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element	M	N0	1/6	Must use
GE02	28	<b>Group Control Number</b>  <b>Description:</b> Assigned number originated and maintained by the sender	M	N0	1/9	Must use

# IEA Interchange Control Trailer

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Used

Purpose: To define the end of an interchange of zero or more functional groups and interchange-related control segments

### Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
IEA01	116	Number of Included Functional Groups	M	N0	1/5	Must use
<b>Description:</b> A count of the number of functional groups included in an interchange						
IEA02	112	Interchange Control Number	M	N0	9/9	Must use
<b>Description:</b> A control number assigned by the interchange sender						

### Note:

EXAMPLE

```

ISA*00* 00* ZZ*NORDINTL *ZZ*999999999 *100925*2307*U*00401*000004450*0*P*>~
GS*PO*NORDINTL *999999999*20100925*2307*4430*X*004010~
ST*850*000008073~
BEG*00*SA*12341111**20100727~
CUR*BY*USD~
REF*DP*0015~
REF*PG*AC~
REF*IA*0999999999~
REF*TC*00*VENDOR PAYS NO FREIGHT~
REF*MR*011~
REF*PGC**STORE~
REF*4D**FOB~
REF*ZZ**ALL NORDSTROM P.O.TERMS & CONDITIONS APPLY SEE WWW.NORDSTROMSUPPLIER.COM~
PER*FB*SMITH, ANN~
FOB*CC*FA*FACTORY***TL*CONSOLIDATOR~
ITD*05*3***30**30*****NET 30 DAYS~
ITD*45~
DTM*001*20101210~
DTM*037*20101206~
DTM*063*20101025~
DTM*064*20101018~
DTM*311*20101208~
DTM*ZZZ*20100816~
PKG*F***FLAT~
TD5***SEATTLE*S***PB*SEA~
TD5***TIANJIN*S***PE*TSN~
N9*LI*N~
N1*CS*CONSOLIDATE*92*0444444444~
N1*BR*CONSOLIDATE*92*0333333333~
N1*30*TICKETS R US*92*0555555555~
N1*FA**92*0888888888~
N1*TO**92*0001111111~
N1*SU*JOE's SHIRTS*92*0999999999~
N1*CT*CN~
PO1*1*20*EA*27.3*PE*UP*4222222222*VA*3001*IN*0*SK*4111~
CTP**RES*98~
PID*F*08*VI**28X80 TISSUE CASHMER WRAP~
PID*F*09*VI**28X80 TISSUE CASHMER~
PID*F*73*VI**RADIANT PURPLE~
PID*F*74*VI**NONE~
PID*F***6214.20.0000~

```

SAC\*N\*\*VI\*TC990101\*\*\*\*\*NL01~  
SDQ\*EA\*92\*0768\*4\*0772\*4\*0773\*4\*0774\*4\*0775\*4~  
N1\*ST\*0299~  
PO1\*2\*19\*EA\*27.3\*PE\*UP\*42222222221\*VA\*3001\*IN\*0\*SK\*4112~  
CTP\*\*RES\*98~  
PID\*F\*08\*VI\*\*28X80 TISSUE CASHMER WRAP~  
PID\*F\*09\*VI\*\*28X80 TISSUE CASHMER~  
PID\*F\*73\*VI\*\*LAGOON~  
PID\*F\*74\*VI\*\*NONE~  
PID\*F\*\*\*6214.20.0000~  
SAC\*N\*\*VI\*TC990101\*\*\*\*\*NL01~  
SDQ\*EA\*92\*0628\*2\*0629\*3\*0631\*2\*0632\*2\*0635\*3\*0637\*2\*0750\*3\*0751\*2~  
N1\*ST\*0699~  
PO1\*3\*29\*EA\*27.3\*PE\*UP\*422222222223\*VA\*3001\*IN\*0\*SK\*4113~  
CTP\*\*RES\*98~  
PID\*F\*08\*VI\*\*28X80 TISSUE CASHMER WRAP~  
PID\*F\*09\*VI\*\*28X80 TISSUE CASHMER~  
PID\*F\*73\*VI\*\*AZURE BLUE~  
PID\*F\*74\*VI\*\*NONE~  
PID\*F\*\*\*6214.20.0000~  
SAC\*N\*\*VI\*TC990101\*\*\*\*\*NL01~  
SDQ\*EA\*92\*0001\*8\*0010\*3\*0012\*3\*0002\*4\*0020\*5\*0021\*2\*0023\*2\*0024\*2~  
N1\*ST\*0089~  
PO1\*4\*20\*EA\*27.3\*PE\*UP\*422222222224\*VA\*3001\*IN\*0\*SK\*4114~  
CTP\*\*RES\*98~  
PID\*F\*08\*VI\*\*28X80 TISSUE CASHMER WRAP~  
PID\*F\*09\*VI\*\*28X80 TISSUE CASHMER~  
PID\*F\*73\*VI\*\*VIOLET PUNCH~  
PID\*F\*74\*VI\*\*NONE~  
PID\*F\*\*\*6214.20.0000~  
SAC\*N\*\*VI\*TC990101\*\*\*\*\*NL01~  
SDQ\*EA\*92\*0420\*4\*0423\*4\*0422\*4\*0426\*4\*0425\*4~  
N1\*ST\*0499~  
PO1\*5\*20\*EA\*27.3\*PE\*UP\*422222222225\*VA\*3001\*IN\*0\*SK\*4115~  
CTP\*\*RES\*98~  
PID\*F\*08\*VI\*\*28X80 TISSUE CASHMER WRAP~  
PID\*F\*09\*VI\*\*28X80 TISSUE CASHMER~  
PID\*F\*73\*VI\*\*PALE BUTTER~  
PID\*F\*74\*VI\*\*NONE~  
PID\*F\*\*\*6214.20.0000~  
SAC\*N\*\*VI\*TC990101\*\*\*\*\*NL01~  
SDQ\*EA\*92\*0760\*4\*0762\*4\*0761\*4\*0767\*4\*0768\*4~  
N1\*ST\*0799~  
CTT\*5~  
SE\*84\*000008073~  
GE\*1\*4430~  
IEA\*1\*000004450~

BULK PACK EXAMPLE

BEG\*00\*SA\*14444444\*\*20110810~  
CUR\*BY\*USD~  
REF\*DP\*0080~  
REF\*PG\*MW~  
REF\*IA\*0005555555~  
REF\*TC\*00\*VENDOR PAYS NO FREIGHT~  
REF\*MR\*110~  
REF\*PGC\*\*BULK~  
REF\*4D\*\*DDP~  
REF\*ZZ\*\*ALL NORDSTROM P.O.TERMS & CONDITIONS APPLY SEE WWW.NORDSTROMSUPPLIER.COM~  
PER\*BD\*Nordstrom FLS~  
PER\*FB\*Smith, Betty~  
FOB\*CC\*ZZ\*Other\*\*\*ZZ\*Other~  
ITD\*05\*3\*\*\*45\*\*45\*\*\*\*\*NET 45 DAYS~

ITD\*14~  
 DTM\*001\*20111030~  
 DTM\*037\*20111023~  
 DTM\*063\*20111030~  
 DTM\*064\*20111023~  
 DTM\*311\*20111109~  
 DTM\*ZZZ\*20110823~  
 PKG\*F\*\*\*FLAT~  
 TD5\*\*\*M~  
 N9\*LI\*N~  
 N1\*30\*FINE LINE TECHNOLOGIES\*92\*0303547488~  
 N1\*FA\*\*92\*0002222222~  
 N1\*TO\*\*92\*0001111111~  
 N1\*SU\*GOLD GREEN\*92\*0005555555~  
 N1\*CT\*US~  
 PO1\*1\*34\*EA\*13.5\*PE\*UP\*433333333333\*VA\*PS123\*IN\*0\*SK\*0033~  
 CTP\*\*RES\*49.5~  
 PID\*F\*08\*VI\*\*SWEATPANTS~  
 PID\*F\*09\*VI\*\*SWEATPANTS~  
 PID\*F\*73\*VI\*\*CASTLEROCK~  
 PID\*F\*74\*VI\*\*XXL~  
 SAC\*N\*\*VI\*TC990101\*\*\*\*\*NH01~  
 SDQ\*EA\*92\*0220\*1\*0774\*1\*0222\*1\*0223\*1\*0225\*2\*0221\*2\*0773\*1\*0768\*1\*0767\*1\*0765\*1~  
 SDQ\*EA\*92\*0763\*1\*0762\*1\*0760\*1\*0759\*1\*0732\*1\*0731\*1\*0730\*1\*0724\*1\*0723\*1\*0722\*1~  
 SDQ\*EA\*92\*0720\*1\*0037\*1\*0034\*1\*0240\*1\*0239\*1\*0238\*1\*0236\*1\*0235\*1\*0232\*1\*0230\*1~  
 SDQ\*EA\*92\*0228\*2~  
 N1\*ST\*0299~  
 O1\*2\*108\*EA\*13.5\*PE\*UP\*411111111111\*VA\*PS123\*IN\*0\*SK\*0011~  
 CTP\*\*RES\*49.5~  
 PID\*F\*08\*VI\*\*SWEATPANTS~  
 PID\*F\*09\*VI\*\*SWEATPANTS~  
 PID\*F\*73\*VI\*\*CASTLEROCK~  
 PID\*F\*74\*VI\*\*L~  
 SAC\*N\*\*VI\*TC990101\*\*\*\*\*NH01~  
 SDQ\*EA\*92\*0220\*3\*0774\*2\*0222\*3\*0223\*4\*0225\*5\*0221\*5\*0773\*3\*0768\*3\*0767\*3\*0765\*4~  
 SDQ\*EA\*92\*0763\*4\*0762\*5\*0760\*3\*0759\*3\*0732\*3\*0731\*4\*0730\*3\*0724\*4\*0723\*4\*0722\*2~  
 SDQ\*EA\*92\*0720\*3\*0037\*3\*0034\*3\*0240\*3\*0239\*3\*0238\*3\*0236\*3\*0235\*4\*0232\*4\*0230\*4~  
 SDQ\*EA\*92\*0228\*5~  
 N1\*ST\*0299~  
 PO1\*3\*83\*EA\*13.5\*PE\*UP\*429999999999\*VA\*PS123\*IN\*0\*SK\*999~  
 CTP\*\*RES\*49.5~  
 PID\*F\*08\*VI\*\*SWEATPANTS~  
 PID\*F\*09\*VI\*\*SWEATPANTS~  
 PID\*F\*73\*VI\*\*CASTLEROCK~  
 PID\*F\*74\*VI\*\*M~  
 SAC\*N\*\*VI\*TC990101\*\*\*\*\*NH01~  
 SDQ\*EA\*92\*0220\*3\*0774\*2\*0222\*3\*0223\*3\*0225\*3\*0221\*3\*0773\*2\*0768\*2\*0767\*2\*0765\*3~  
 SDQ\*EA\*92\*0763\*3\*0762\*4\*0760\*2\*0759\*2\*0732\*2\*0731\*4\*0730\*3\*0724\*2\*0723\*3\*0722\*3~  
 SDQ\*EA\*92\*0720\*3\*0037\*2\*0034\*2\*0240\*2\*0239\*3\*0238\*2\*0236\*2\*0235\*4\*0232\*2\*0230\*2~  
 SDQ\*EA\*92\*0228\*5~  
 N1\*ST\*0299~  
 PO1\*4\*33\*EA\*13.5\*PE\*UP\*429888888888\*VA\*PS123\*IN\*0\*SK\*888~  
 CTP\*\*RES\*49.5~  
 PID\*F\*08\*VI\*\*SWEATPANTS~  
 PID\*F\*09\*VI\*\*SWEATPANTS~  
 PID\*F\*73\*VI\*\*CASTLEROCK~  
 PID\*F\*74\*VI\*\*S~  
 SAC\*N\*\*VI\*TC990101\*\*\*\*\*NH01~  
 SDQ\*EA\*92\*0220\*2\*0774\*1\*0222\*1\*0223\*1\*0225\*1\*0221\*1\*0768\*1\*0767\*1\*0765\*1\*0763\*2~  
 SDQ\*EA\*92\*0762\*1\*0760\*1\*0759\*1\*0732\*1\*0731\*1\*0730\*1\*0724\*1\*0723\*2\*0722\*1\*0720\*1~  
 SDQ\*EA\*92\*0037\*1\*0034\*1\*0240\*1\*0239\*1\*0238\*1\*0236\*1\*0235\*1\*0232\*1\*0230\*1\*0228\*1~  
 N1\*ST\*0299~  
 PO1\*5\*76\*EA\*13.5\*PE\*UP\*422222222222\*VA\*PS123\*IN\*0\*SK\*000~  
 CTP\*\*RES\*49.5~

PID\*F\*08\*VI\*\*SWEATPANTS~  
 PID\*F\*09\*VI\*\*SWEATPANTS~  
 PID\*F\*73\*VI\*\*CASTLEROCK~  
 PID\*F\*74\*VI\*\*XL~  
 SAC\*N\*\*VI\*TC990101\*\*\*\*\*NH01~  
 SDQ\*EA\*92\*0220\*2\*0774\*2\*0222\*2\*0223\*2\*0225\*4\*0221\*3\*0773\*3\*0768\*2\*0767\*2\*0765\*2~  
 SDQ\*EA\*92\*0763\*2\*0762\*3\*0760\*2\*0759\*2\*0732\*2\*0731\*2\*0730\*3\*0724\*3\*0723\*2\*0722\*3~  
 SDQ\*EA\*92\*0720\*3\*0037\*3\*0034\*2\*0240\*2\*0239\*2\*0238\*2\*0236\*2\*0235\*3\*0232\*3\*0230\*3~  
 SDQ\*EA\*92\*0228\*3~  
 N1\*ST\*0299~  
 PO1\*6\*4\*EA\*13.5\*PE\*UP\*429777777777\*VA\*PS123\*IN\*0\*SK\*777~  
 CTP\*\*RES\*49.5~  
 PID\*F\*08\*VI\*\*SWEATPANTS~  
 PID\*F\*09\*VI\*\*SWEATPANTS~  
 PID\*F\*73\*VI\*\*CASTLEROCK~  
 PID\*F\*74\*VI\*\*XS~  
 SAC\*N\*\*VI\*TC990101\*\*\*\*\*NH01~  
 SDQ\*EA\*92\*0763\*1\*0723\*1\*0774\*1\*0220\*1~  
 N1\*ST\*0299~  
 PO1\*7\*41\*EA\*13.5\*PE\*UP\*429666666666\*VA\*PS123\*IN\*0\*SK\*666~  
 CTP\*\*RES\*49.5~  
 PID\*F\*08\*VI\*\*SWEATPANTS~  
 PID\*F\*09\*VI\*\*SWEATPANTS~  
 PID\*F\*73\*VI\*\*TRUE BLACK~  
 PID\*F\*74\*VI\*\*XXL~  
 SAC\*N\*\*VI\*TC990101\*\*\*\*\*NH01~  
 SDQ\*EA\*92\*0220\*1\*0774\*1\*0222\*1\*0223\*2\*0225\*2\*0221\*3\*0773\*2\*0768\*1\*0767\*1\*0765\*1~  
 SDQ\*EA\*92\*0763\*1\*0762\*1\*0760\*1\*0759\*1\*0732\*1\*0731\*1\*0730\*1\*0724\*2\*0723\*1\*0722\*1~  
 SDQ\*EA\*92\*0720\*1\*0037\*1\*0034\*1\*0240\*1\*0239\*1\*0238\*1\*0236\*1\*0235\*2\*0232\*2\*0230\*2~  
 SDQ\*EA\*92\*0228\*2~  
 N1\*ST\*0299~  
 PO1\*8\*172\*EA\*13.5\*PE\*UP\*429444444444\*VA\*PS123\*IN\*0\*SK\*444~  
 CTP\*\*RES\*49.5~  
 PID\*F\*08\*VI\*\*SWEATPANTS~  
 PID\*F\*09\*VI\*\*SWEATPANTS~  
 PID\*F\*73\*VI\*\*TRUE BLACK~  
 PID\*F\*74\*VI\*\*L~  
 SAC\*N\*\*VI\*TC990101\*\*\*\*\*NH01~  
 SDQ\*EA\*92\*0220\*6\*0774\*4\*0222\*5\*0223\*6\*0225\*8\*0221\*9\*0773\*6\*0768\*4\*0767\*3\*0765\*7~  
 SDQ\*EA\*92\*0763\*7\*0762\*8\*0760\*3\*0759\*4\*0732\*3\*0731\*7\*0730\*4\*0724\*7\*0723\*6\*0722\*4~  
 SDQ\*EA\*92\*0720\*4\*0037\*6\*0034\*4\*0240\*5\*0239\*5\*0238\*4\*0236\*4\*0235\*7\*0232\*7\*0230\*7~  
 SDQ\*EA\*92\*0228\*8~  
 N1\*ST\*0299~  
 PO1\*9\*138\*EA\*13.5\*PE\*UP\*429333333333\*VA\*PS123\*IN\*0\*SK\*333~  
 CTP\*\*RES\*49.5~  
 PID\*F\*08\*VI\*\*SWEATPANTS~  
 PID\*F\*09\*VI\*\*SWEATPANTS~  
 PID\*F\*73\*VI\*\*TRUE BLACK~  
 PID\*F\*74\*VI\*\*M~  
 SAC\*N\*\*VI\*TC990101\*\*\*\*\*NH01~  
 SDQ\*EA\*92\*0220\*6\*0774\*3\*0222\*5\*0223\*6\*0225\*5\*0221\*6\*0773\*3\*0768\*3\*0767\*3\*0765\*4~  
 SDQ\*EA\*92\*0763\*6\*0762\*8\*0760\*3\*0759\*3\*0732\*3\*0731\*6\*0730\*5\*0724\*4\*0723\*5\*0722\*4~  
 SDQ\*EA\*92\*0720\*5\*0037\*3\*0034\*3\*0240\*4\*0239\*4\*0238\*3\*0236\*3\*0235\*7\*0232\*4\*0230\*4~  
 SDQ\*EA\*92\*0228\*7~  
 N1\*ST\*0299~  
 PO1\*10\*35\*EA\*13.5\*PE\*UP\*429222222222\*VA\*PS123\*IN\*0\*SK\*222~  
 CTP\*\*RES\*49.5~  
 PID\*F\*08\*VI\*\*SWEATPANTS~  
 PID\*F\*09\*VI\*\*SWEATPANTS~  
 PID\*F\*73\*VI\*\*TRUE BLACK~  
 PID\*F\*74\*VI\*\*S~  
 SAC\*N\*\*VI\*TC990101\*\*\*\*\*NH01~  
 SDQ\*EA\*92\*0220\*2\*0774\*2\*0222\*1\*0223\*1\*0225\*1\*0221\*1\*0773\*1\*0768\*1\*0767\*1\*0765\*1~  
 SDQ\*EA\*92\*0763\*1\*0762\*1\*0760\*1\*0759\*1\*0732\*1\*0731\*1\*0730\*1\*0724\*1\*0723\*2\*0722\*1~



SDQ\*EA\*92\*0720\*1\*0037\*1\*0034\*1\*0240\*1\*0239\*1\*0238\*1\*0236\*1\*0235\*1\*0232\*1\*0230\*1~  
SDQ\*EA\*92\*0228\*2~  
N1\*ST\*0299~  
PO1\*11\*128\*EA\*13.5\*PE\*UP\*429555555555\*VA\*PS123\*IN\*0\*SK\*555~  
CTP\*\*RES\*49.5~  
PID\*F\*08\*VI\*\*SWEATPANTS~  
PID\*F\*09\*VI\*\*SWEATPANTS~  
PID\*F\*73\*VI\*\*TRUE BLACK~  
PID\*F\*74\*VI\*\*XL~  
SAC\*N\*\*VI\*TC990101\*\*\*\*\*NH01~  
SDQ\*EA\*92\*0220\*4\*0774\*2\*0222\*3\*0223\*4\*0225\*7\*0221\*5\*0773\*5\*0768\*3\*0767\*3\*0765\*4~  
SDQ\*EA\*92\*0763\*4\*0762\*5\*0760\*3\*0759\*3\*0732\*3\*0731\*4\*0730\*4\*0724\*6\*0723\*4\*0722\*4~  
SDQ\*EA\*92\*0720\*4\*0037\*5\*0034\*3\*0240\*4\*0239\*4\*0238\*3\*0236\*3\*0235\*4\*0232\*6\*0230\*6~  
SDQ\*EA\*92\*0228\*6~  
N1\*ST\*0299~  
PO1\*12\*5\*EA\*13.5\*PE\*UP\*429111111111\*VA\*PS123\*IN\*0\*SK\*111~  
CTP\*\*RES\*49.5~  
PID\*F\*08\*VI\*\*SWEATPANTS~  
PID\*F\*09\*VI\*\*SWEATPANTS~  
PID\*F\*73\*VI\*\*TRUE BLACK~  
PID\*F\*74\*VI\*\*XS~  
SAC\*N\*\*VI\*TC990101\*\*\*\*\*NH01~  
SDQ\*EA\*92\*0762\*1\*0723\*1\*0220\*1\*0774\*1\*0228\*1~  
N1\*ST\*0299~  
CTT\*12~  
SE\*428\*000206559~